# **Storage Cabinets**



# FAMEPLA 🕌






Corner cabinets see page. 123



# **Storage Cabinets**



Cabinets with leaf doors see page 124



Cabinets with sliding doors see page 124



Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010







## **Corner cabinets**




Corner cabinets
with leaf door

Made of high-quality sheet steel.

Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in one height only with 1 fixed shelf. Fitted with leaf door, safety cylinder lock with 2 keys.

For cabinet	Width	Depth	Height	
depth	mm	mm	mm	Part. No.
27 Eh	986	508	1000	19-41000
36 Eh	1202	725	1000	19-31000



## 1 Work surfaces for storage cabinets

		Laminated	Linoplex
Depth	Thickness	linear mtr.	linear mtr.
mm	mm	Part. No.	Part. No.
600	30	06-80614	06-80616
750	30	06-80714	06-80716

Colour: Plastic laminated/Linoplex Light grey

### 2 Work surfaces for corner cabinets

		Plastic
For cabinet	Thickness	laminated Linoplex
depth	mm	Part. No. Part. No.
27 Eh	30	19-40014 19-40016
36 Eh	30	19-30014 19-30016

Colour: Plastic laminated/Linoplex Light grey



Colours: see colour chart at the bottom of the page

#### Rubber mat

For cabinet	Width	Depth	Thickness	
depth	mm	mm	mm	Part. No.
27 Eh	983	506	2	19-40022
36 Eh	1199	722	2	19-30022
Colour: Black				



## Folding surfaces Hinged doors

#### 3 Folding surfaces

			Plastic	
Width	Depth	Thickness	laminated	Linoplex
mm	mm	mm	Part. No.	Part. No.
717	600	30	06-82614	06-82616
717	750	30	06-82714	06-82716

Colour: Plastic laminated/Linoplex Light grey

## Corner cabinet

Made of high-quality steel

For cabinet	Width	Depth	Height	
depth	mm	mm	mm	Part. No.
27 Eh	986	485	50	19-44050
36 Eh	1202	701	50	19-34050
Colour: Black				

#### 4 Hinged door

				Plastic
Width	Height	Thickness	MDF	laminated
mm	mm	mm	Part. No.	Part. No.
717	950	30	06-83710	06-83714
without lock				

with sliding doors



Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products. Available in 2 different heights with sides slotted in increments of 25 mm to allow shelves to be adjusted accordingly.

Width 1431 mm, Depth 725 mm.

	, I			
		Usable	Standard	
	Height	height	lock	
	mm	mm	Part. No.	
without cen-	1000	900	18-51000	
tral division	1450	1350	18-51450	
with central	1000	900	18-51030	
division	1450	1350	18-51470	

Colours: see colour chart at the bottom of the page

## Standard examples:



Height:	Part. No.
1000 mm	18-51000-02
1450 mm	18-51450-02
3 Adjustable shelves	
without central division	



Height:	Part. No.
1000 mm	18-51030-02
1450 mm	18-51470-02
6 Adjustable shelves	
with central division	

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products. Available in 2 different heights with sides slotted in increments of 25 mm to allow shelves to be adjusted accordingly.

Width 1431 mm, Depth 725 mm.

	' I			
	Height	Usable height	Standard lock	
	mm	mm	Part. No.	
without cen-	1000	900	18-61000	
tral division	1450	1350	18-61450	
with central	1000	900	18-61030	
division	1450	1350	18-61470	
Colours, see c	olour chart at t	he bottom of the	e nage	

### Standard examples:

without central division



1000 mm 18-61000-02 1450 mm 18-61450-02 3 Adjustable shelves



Height:	Part. No.
1000 mm	18-61030-02
1450 mm	18-61470-02
6 Adjustable shelves	

with central division





# Upstand raised edges on 3 sides

Made of high-quality steel

			Upstand	Smooth
Width	Depth	Height	with mat	rubber mat
mm	mm	mm	Part. No.	Part. No.
1431	725	20	10-70025	-
1426	720	2	-	10-70022
Colour: Black				



## Work surfaces for cabinets

			Plastic	
Width	Depth	Thickness	laminated	Linoplex
mm	mm	mm	Part. No.	Part. No.
1431	750	30	10-70014	10-70016

Colour: Plastic laminated/Linoplex Light grey



### **Cabinet bases**

Made of high-quality steel

	Width	Depth	Height	
	mm	mm	mm	Part. No.
1 Base plinth	1431	693	50	05-47805
2 Pallet base	1431	659	100	05-23610
3 Cover plate	1431	-	100	05-37810
Colour: Black				




# Adjustable shelves

Made of steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
658	620	35	70	33-72038
1369	620	35	100	33-72078
Colour: Light ar	ων RΔI 7035			

Colour: Light grey RAL 7035











Hooks see page 249

# **Group 9**

**Leaf-door cabinets** 

**Sliding-door cabinets** 



9

# FAMEPLA **#**





# **Series 22-24**

# Size: 512x555 mm see page 270



# **Cabinets with leaf doors**



Size: 1026x555 mm see page 272



Size: 1026x400 mm see page 282




Size: 800x400 mm see page 285



Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





Fixing material for cabinets
Part. No.
06-00030







# 512x555 mm



## **Cabinet housing**


with leaf door

Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in one height only with sides slotted in increments of

25 mm to allow drawers and shelves to be adjusted accordingly. Door fitted with safety cylinder lock and 2 keys.

			Usable	
Width	Depth	Height	height	
mm	mm	mm	mm	Part. No.
512	555	1000	850	24-11000

Colours: see colour chart at the bottom of the page



## **Upstand raised edges** on 3 sides

Made of high-quality sheet steel

Width mm 512 507	Depth mm 555 550	Height mm 20	Upstand with mat Part. No. 24-10025	Smooth rubber mat Part. No. - 24-10022
Colour: Black	330		<u>-</u>	24-10022



### Adjustable shelf

Made of high-quality sheet steel

Width mm	Depth mm	Height mm	Load capacity kg	Plain Part. No.
486	500	35	70	24-10034
Hooks (spare	part)-Kit: 16 pie	eces		52-00006



# Writing desk tops

Made of high-quality sheet steel

Width	Depth	Height	Drawer front height	Load capacity	
mm	mm	mm	mm	kg*	Part. No.
512	557	250/100	100 <b>S</b>	20	24-10100
512	557	250/100	100 <b>T</b>	20	24-10101

**S** = simple extension: 85 - 90% extension

T = total extension: 100% extension

\* with load evenly distributed

Colours: see colour chart at the bottom of the page



#### **Drawers**

Made of high-quality sheet steel

Available in two versions (simple or total extension) with steel roller bearings.

Front	Usable	Usable		Load	
height	width	depth	Extension	capacity	
mm	mm	mm	%	kg*	Part. No.
100 <b>S</b>	486	459	85	20	24-13100
100 <b>T</b>	486	459	100	20	24-13101

\* with load evenly distributed

Colour: Light grey RAL 7035

Standard colours:

Load capacity is intended for evenly distributed loads

RAL 5012 RAL 6011 RAL 7035 RAL 9010





Size:	Part. No.
512x555x1000 mm	24-11000-03
	24-11000-13
Fittings:	

1 Drawer 1 Adjustable shelf



14

Size:	Part. No.
512x555x1000 mm	24-11000-04
	24-11000-14
Fittings:	
1 Drawer	
2 Adjustable shelves	



Size:	Part. No.
512x555x1000 mm	24-11000-06
	24-11000-16
Fittings:	
2 Drawers	



Size:	Part. No.
512x555x1000 mm	24-11000-07
	24-11000-17
Fittings:	
2 Drawers	

1 Adjustable shelf



Size:	Part. No.
512x555x1000 mm	24-11000-08
	24-11000-18
Fittings:	
3 Drawers	



Size:	Part. No.
512x555x1250 mm	24-11090-01
Fittings:	
1 Writing desk top	
2 Adjustable shelves	

# 1026x555 mm




# Cabinet housings

with leaf doors

Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in one height only with sides slotted in increments of 25 mm to allow drawers and shelves to be adjusted accordingly. Doors fitted with safety cylinder lock and 2 keys.

			Usable	without	with
Width	Depth	Height	height	Divider	Divider
mm	mm	mm	mm	Part. No.	Part. No.
1026	555	1000	850	24-31000	24-31010

Colours: see colour chart at the bottom of the page




# Compartment dividing walls

Made of galvanised steel

Height	Usable height	
between	between	
shelves	shelves	
mm	mm	Part. No.
200	165	52-65020
300	265	52-65030





# Shelf divider Made of steel

Length	Height	
Lengui	Height	
mm	mm	Part. No.
495	100	52-61050





# Upstand raised edges on 3 sides

Made of high-quality sheet steel


			Upstand	Smooth
Width	Depth	Height	with mat	rubber mat
mm	mm	mm	Part. No.	Part. No.
1026	555	20	24-30025	•
1021	550	2	•	24-30022
Colour: Black				



## Adjustable shelves

Made of high-quality sheet steel

			Load		
Width	Depth	Height	capacity	Plain	Slotted
mm	mm	mm	kg	Part. No.	Part. No.
486	500	35	70	* 24-10034	•
1000	500	35	70	•	24-30036
* only for cabinets with central partition					
Hooks (spare	e part)-Kit: 16	pieces			52-00006



Available in two versions (simple or total extension) with steel roller bearings.

Front height	Usable width	Usable depth	Extension %	Load capacity kg *	Part. No.
mm 100 <b>S</b> 100 <b>T</b>	mm 486 486	mm 459 459	85 100	20 20	* 24-13100 * 24-13101
100 <b>S</b>	918 918	459 459	85 100	20 20 20	24-33100 24-33101

\* only for cabinets with central partition

\* with load evenly distributed

Colour: Light grey RAL 7035









Size:	Part. No.
1026x555x1000 mm	24-31000-01
Fittings:	
1 Adjustable shelf	



Size:	Part. No.
1026x555x1000 mm	24-31000-02
Fittings:	
2 Adjustable shelves	



Size:	Part. No.
1026x555x1000 mm	24-31000-03
	24-31000-13
Fittings:	
1 Drawer	
1 Adiustable shelf	



Size:	Part. No.
1026x555x1000 mm	24-31000-04
	24-31000-14
Fittings:	
1 Drawer	
2 Adjustable shelves	



Size:	Part. No.
1026x555x1000 mm	24-31000-05
	24-31000-15
Fittings:	
3 Drawers	
1 Adjustable shelf	



Size:	Part. No.
1026x555x1000 mm	24-31000-06
	24-31000-16
Fittings:	
2 Drawers	



# 1026x555 mm





Size:	Part. No.
1026x555x1000 mm	24-31000-07
	24-31000-17
Fittings:	

Fittings:
2 Drawers
1 Adjustable shelf



Size:	Part. No.
1026x555x1000 mm	24-31000-08
	24-31000-18
Fittings:	
3 Drawers	



RAL 5012 RAL 6011 RAL 7035 RAL 9010







Size:	Part. No.
1026x555x1000 mm	24-31010-01
Fittings:	
2 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1026x555x1000 mm	24-31010-03
	24-31010-13
Fittings:	
2 Drawers	
2 Adjustable shelves	
1 Central partition	



Size.	Part. No.
1026x555x1000 mm	24-31010-04
	24-31010-14
Fittings:	
2 Drawers	
4 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1026x555x1000 mm	24-31010-06
	24-31010-16
Fittings:	
4 Drawers	

4 L	Drawers
4 /	Adjustable shelves
1 (	Central partition




Size:	Part. No.
1026x555x1000 mm	24-31010-10
	24-31010-20
Fittings:	
8 Drawers	

2	Adjustable shelves
1	Central partition

# 1026x555 mm



### **Cabinet housings** with leaf doors




Width mm 486	Depth mm 500	Height mm 35	Load capacity kg 70	Plain Part. No. * 24-10034	Slotted Part. No.
1000	500	35	70	-	24-30036
* only for cabinets with central partition					
Hooks (spare	e part)-Kit: 16	pieces			52-00006

Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in one height only with sides slotted in increments of 25 mm to allow drawers and shelves to be adjusted accordingly. Doors fitted with safety cylinder lock and 2 keys.

#### With standard leaf doors

			Usable	without	with
Width	Depth	Height	height	Divider	Divider
mm	mm	mm	mm	Part. No.	Part. No.
1026	555	2000	1850	24-32000	24-32010


Colours: see colour chart at the bottom of the page



## Compartment dividing walls

Made of galvanised steel


Height between	Usable height between	
shelves	shelves	
mm	mm	Part. No.
200	165	52-65020
300	265	52-65030



#### With Plexiglas® leaf doors

			Usable	without	with
Width	Depth	Height	height	Divider	Divider
mm	mm	mm	mm	Part. No.	Part. No.
1026	555	2000	1850	24-62000	24-62010
Coloure: co	Colours: see colour chart at the hottom of the page				

Colours: see colour chart at the bottom of the page




Available in two versions (simple or total extension) with steel roller bearings.

Front	Usable width	Usable	Extension	Load	
height	width	depth	Extension	capacity	
mm	mm	mm	%	kg *	Part. No.
100 <b>S</b>	486	459	85	20	* 24-13100
100 <b>T</b>	486	459	100	20	* 24-13101
100 <b>S</b>	918	459	85	20	24-33100
100 <b>T</b>	918	459	100	20	24-33101

\* only for cabinets with central partition

\* with load evenly distributed Colour: Light grey RAL 7035

> Standard colours: RAL 5012 RAL 6011 RAL 7035 RAL 9010



#### Shelf divider Made of steel







Load capacity is intended for evenly distributed loads







Size:	Part. No.
1026x555x2000 mm	24-32000-01
Fittings:	
1 Adjustable shelves	



Size:	Part. No.
1026x555x2000 mm	24-32000-02
Fittings:	
5 Adjustable shelves	



**03 13** 100 T 100 S 100 T 100 S 100 T 100 S

Size:	Part. No.
1026x555x2000 mm	24-32000-03
	24-32000-13
Fittings:	
3 Drawers	
4 Adjustable shelves	



Size:	Part. No.
1026x555x2000 mm	24-32000-04
	24-32000-14
Fittings:	
4 Drawers	
2 Adjustable shelves	



Size:	Part. No.
1026x555x2000 mm	24-32000-05
	24-32000-15
Fittings:	
5 Drawers	
2 Adjustable shelves	



Size:	Part. No.
1026x555x2000 mm	24-32000-06
	24-32000-16
Fittings:	
5 Drawers	
3 Adjustable shelves	

# 1026x555 mm



Size:	Part. No.
1026x555x2000 mm	24-32000-07
	24-32000-17
Fittings:	
5 Drawers	
2 Adjustable shelves	



Size:	Part. No.
1026x555x2000 mm	24-32000-08
	24-32000-18
Fittings:	
2 Drawers	
3 Adjustable shelves	



Size:	Part. No.
1026x555x2000 mm	24-32000-25
	24-32000-26
Fittings:	
1 Drawer	
4 Adjustable shelves	



Size:	Part. No.
1026x555x2000 mm	24-32000-57
	24-32000-58
Fittings:	
9 Drawers	



Size:	Part. No.
1026x555x2000 mm	24-32000-27
	24-32000-28
Fittings:	
2 Drawers	
4 Adjustable shelves	

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010

2 Adjustable shelves









Size:	Part. No.
1026x555x2000 mm	24-62000-01
Fittings:	
4 Adjustable shelves	



Part. No.
24-62000-02



Size:	Part. No.
1026x555x2000 mm	24-62000-03
	24-62000-13
Fittings:	
3 Drawers	
4 Adjustable shelves	



Size:	Part. No.
1026x555x2000 mm	24-62000-04
	24-62000-14
Fittings:	
4 Drawers	
2 Adjustable shelves	



Size:	Part. No.
1026x555x2000 mm	24-62000-05
	24-62000-15
Fittings:	
5 Drawers	
2 Adjustable shelves	



Size:	Part. No.
1026x555x2000 mm	24-62000-08
	24-62000-18
Fittings:	
2 Drawers	
3 Adjustable shelves	

# 1026x555 mm



Part. No.
24-32020-07
24-32020-17

Fittings: 2 Drawers

2 Adjustable shelves

1 Perforated back panel



Size:	Part. No.
1026x555x2000 mm	24-32030-07
	24-32030-17

Fittings:

2 Drawers

2 Adjustable shelves

1 Perforated back panel

Doors with perforated panels



Size:	Part. No.
1026x555x2000 mm	24-32040-05
	24-32040-15
Fittings:	

3 Drawers

1 Adjustable shelf

1 Perforated back panel



Size:	Part. No.
1026x555x2000 mm	24-62020-02
Fittings:	
2 Adjustable shelves	
1 Perforated back panel	



Size:	Part. No.
1026x555x2000 mm	24-62020-07
	24-62020-17
Fittings:	
2 Drawers	
2 Adjustable shelves	
1 Perforated back panel	



Size:	Part. No.
1026x555x2000 mm	24-62040-05
	24-62040-15
Fittings:	
3 Drawers	


1 Adjustable shelf

1 Perforated back panel

Standard colours: RAL 5012 RAL 6011 RAL 7035 RAL 9010



Hooks see page 249







Size:	Part. No.		
1026x555x2000 mm	24-32010-02		
Fittings:			
10 Adjustable shelves			
1 Central partition			



Size:	Part. No.
1026x555x2000 mm	24-32010-04
	24-32010-14
Fittings:	
6 Drawers	
4 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1026x555x2000 mm	24-32010-05
	24-32010-15
Fittings:	
8 Drawers	
4 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1026x555x2000 mm	24-62010-02
Fittings:	
10 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1026x555x2000 mm	24-62010-04
	24-62010-14
Fittings:	
6 Drawers	
4 Adjustable shelves	
1 Central partition	




Size:	Part. No.
1026x555x2000 mm	24-62010-05
	24-62010-15
Fittings:	
8 Drawers	
4 Adjustable shelves	
1 Central partition	

# 1026x400 mm



**Cabinet housings** with leaf doors



Width	Depth mm	Height mm	Load capacity kg	Plain Part. No.	Slotted Part. No.
1000	347	35	70	-	22-30036
Hooks (spare	part)-Kit: 16	pieces			52-00006

Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in one height only with sides slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Doors fitted with safety cylinder lock and 2 keys.

#### With standard leaf doors

			Usable		
Width	Depth	Height	height		
mm	mm	mm	mm	Part. No.	
1026	400	2000	1850	22-32000	
Colours: see colour chart at the bottom of the page					

With Plexiglas® leaf doors

			Usable		
Width	Depth	Height	height		
mm	mm	mm	mm	Part. No.	
1026	400	2000	1850	22-62000	
Colours: see colour chart at the bottom of the page					




# Compartment dividing walls

Made of galvanised steel

Height Usable height between between		
shelves	shelves	
mm	mm	Part. No.
200	165	52-63520
300	265	52-63530





Standard colours: RAL 5012 RAL 6011 RAL 7035 RAL 9010













Size:	Part. No.
1026x400x2000 mm	22-32000-02
Fittings:	
5 Adjustable shelves	



Size:	Part. No.
1026x400x2000 mm	22-32020-02
Fittings:	
2 Adjustable shelves	
1 Perforated back panel	



Size:	Part. No.
1026x400x2000 mm	22-62000-01
Fittings:	
4 Adjustable shelves	



Size:	Part. No.
1026x400x2000 mm	22-62000-02
Fittings:	
5 Adjustable shelves	



Size:	Part. No.
1026x400x2000 mm	22-62020-02
Fittings:	
2 Adjustable shelves	
1 Perforated back panel	



Hooks

see page 249




Size:	Part. No.
1026x400x2000 mm h	
without containers	22-32000-60
with containers	22-32000-64
Containers: no. 28 size 3	
Fittings:	
6 Adjustable shelves	
Load capacity per shelf: 70Kg	



Size:	Part. No.
1026x400x2000 mm h	
without containers	22-32000-70
with containers	22-32000-74
Containers: no. 20 size 3 - n° 12	size 3 B
Fittings:	
7 Adjustable shelves	
Load capacity per shelf: 70Kg	



Size:	Part. No.
1026x400x2000 mm h	
without containers	22-32000-80
with containers	22-32000-84
Containers: no. 36 size 3 B	
Fittings:	
8 Adjustable shelves	
Load capacity per shelf: 70Kg	



## **Plastic containers**

Made of polypropylene

#### Size 3 B

Width	Depth	Height	Capacity		
mm	mm	mm	litres/dm³	Colour	Part. No.
200	350/300	145	9,4	Green *	70-03220
200	350/300	145	9,4	Red *	70-03230
200	350/300	145	9,4	Blue	70-03240

\* Available only on request.

## Size 3

Width mm	Depth mm	Height mm	Capacity litres/dm³	Colour	Part. No.	
200	350/300	200	12,5	Green *	70-03020	
200	350/300	200	12,5	Red *	70-03030	
200	350/300	200	12,5	Blue	70-03040	
* Available only on request.						

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





# **Document storage cabinets**



Standard examples:






#### With standard leaf doors

Size:	Part. No.
800x400x1950 mm	22-21950-01
Fittings:	
4 Adjustable shelves	

With Plexiglas® leaf doors

Size:	Part. No.
800x400x1950 mm	22-26950-01
Fittings:	
4 Adjustable shelves	




### Adjustable shelf

Made of high quality steel

Designed to support suspension folders size A4 underneath shelf.

Width mm 772	Depth mm 370	Height mm 35	Load capacity kg 50	Plain Part. No. <b>22-30034</b>	Slotted Part. No.
Hooks (spare	part)-Kit: 16	pieces			52-00006





# **Series 26-28**

# Cabinets depth 450 mm see page 288





# **Cabinets with sliding doors**



Cabinets depth 600 mm see page 298









Fixing material for cabinets
Part. No.
06-00030








# 1026x450 mm






Width mm	Depth mm	Height mm	Load capacity kg	Plain Part. No.	Slotted Part. No.
1000	347	35	70		22-30036
Hooks (spare	part)-Kit: 16	pieces			52-00006

Made of high-quality steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in different heights with sides slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Doors fitted with safety cylinder lock and 2 keys.

			Usable	Standard	Plexiglas <sup>®</sup>
Width	Depth	Height	height	doors	doors
mm	mm	mm	mm	Part. No.	Part. No.
1026	450	1000	850	26-31000	-
1026	450	1200	1050	26-31200	-
1026	450	2000	1850	26-32000	27-32000
Colours: see colour chart at the bottom of the page					



# Compartment dividing walls

Made of galvanised steel

Height	Usable height	
between	between	
shelves	shelves	
mm	mm	Part. No.
200	165	52-63520
300	265	52-63530





# Upstand raised edges on 3 sides

Made of high-quality sheet steel

			Upstand	Smooth
Width	Depth	Height	with mat	rubber mat
mm	mm	mm	Part. No.	Part. No.
1026	450	20	26-30025	-
1021	445	2	•	26-30022
Colour: Black				



Shelf divider Made of steel





Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010









Size:	Part. No.
1026x450x1000 mm	26-31000-01
1026x450x1200 mm	26-31200-01
Fittings:	
1 Adjustable shelf	



Size:	Part. No.
1026x450x1000 mm	26-31000-02
1026x450x1200 mm	26-31200-02
Fittings:	
2 Adjustable shelves	



Size:	Part. No.
1026x450x1000 mm	26-31000-03
1026x450x1200 mm	26-31200-03
Fittings:	
3 Adjustable shelves	



Size:	Part. No.
1026x450x2000 mm	
	26-32000-01
with Plexiglas® sliding doors	27-32000-01
Fittings:	
4 Adjustable shelves	




Size:	Part. No.
1026x450x2000 mm	
	26-32000-02
with Plexiglas® sliding doors	27-32000-02
Fittings:	
5 Adjustable shelves	



Size:	Part. No.
1026x450x2000 mm	
	26-32000-03
with Plexiglas® sliding doors	27-32000-03
Fittings:	
6 Adjustable shelves	

# 1200x450 mm





Width	Depth mm	Height mm	Load capacity kg	Plain Part. No.	Slotted Part. No.
1174	347	35	70	-	26-40036
Hooks (spare	part)-Kit: 16	pieces			52-00006

Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in different heights with sides slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Doors fitted with safety cylinder lock and keys.

Width	Depth	Height	Usable height	Standard doors	Plexiglas® doors
mm 1200	mm 450	mm 1000	mm 850	Part. No. <b>26-41000</b>	Part. No.
1200	450	1200	1050	26-41200	-
1200	450	2000	1850	26-42000	27-42000
Colours: se	Colours: see colour chart at the bottom of the page				



# Compartment dividing walls

Made of galvanised steel

Height between	Usable height between	
shelves	shelves	
mm	mm	Part. No.
200	165	52-63520
300	265	52-63530






# Upstand raised edges on 3 sides

Made of high-quality sheet steel

			Upstand	Smooth
Width	Depth	Height	with mat	rubber mat
mm	mm	mm	Part. No.	Part. No.
1200	450	20	26-40025	-
1195	445	2	•	26-40022
Colour: Black				



Shelf divider

Made of steel

Length	Height	
mm	mm	Part. No.
340	100	52-61035



Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010









Size:	Part. No.
1200x450x1000 mm	26-41000-01
1200x450x1200 mm	26-41200-01
Fittings:	
1 Adjustable shelf	



Size:	Part. No.
1200x450x1000 mm	26-41000-02
1200x450x1200 mm	26-41200-02
Fittings:	
2 Adjustable shelves	



A Second	
Size:	Part. No.
1200x450x1000 mm	26-41000-03
1200x450x1200 mm	26-41200-03
Fittings:	
3 Adjustable shelves	



Size:	Part. No.
1200x450x2000 mm	
	26-42000-01
with Plexiglas® sliding doors	27-42000-01
Fittings:	
4 Adjustable shelves	



Size:	Part. No.
1200x450x2000 mm	
	26-42000-02
with Plexiglas® sliding doors	27-42000-02
Fittings:	
5 Adjustable shelves	



Size:	Part. No.
1200x450x2000 mm	
	26-42000-03
with Plexiglas® sliding doors	27-42000-03
Fittings:	
6 Adjustable shelves	

# 1420x450 mm



Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in different heights with sides slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Doors fitted with safety cylinder lock and 2 keys.

#### With standard sliding doors

Width mm	Depth mm	Height mm	Usable height mm	without Divider Part. No.	with Divider Part. No.
1420	450	1000	850	26-61000	26-61010
1420	450	1200	1050	26-61200	26-61210
1420	450	2000	1850	26-62000	26-62010

Colours: see colour chart at the bottom of the page

#### With Plexiglas® sliding doors

				Usable	without	with
	Width	Depth	Height	height	Divider	Divider
	mm	mm	mm	mm	Part. No.	Part. No.
Ī	1420	450	1000	850	-	-
	1420	450	1200	1050	-	-
	1420	450	2000	1850	27-62000	27-62010
-						


Colours: see colour chart at the bottom of the page



## Adjustable shelves

Made of high-quality sheet steel

Width mm	Depth mm	Height mm	Load capacity kg	Plain Part. No.	Slotted Part. No.
684	347	35	70	•	*26-60047
1394	347	35	70	•	26-60037
* only for cabinets with central partition					
Hooks (spare part)-Kit: 16 pieces 52-00006					



## Compartment dividing walls

Made of galvanised steel

Height between	Usable height between	
shelves	shelves	
mm	mm	Part. No.
200	165	52-63520
300	265	52-63530





## **Upstand raised edges** on 3 sides

Made of high-quality sheet steel

			Upstand	Smooth
Width	Depth	Height	with mat	rubber mat
mm	mm	mm	Art. Nr	Part. No.
1420	450	20	26-60025	-
1415	445	2	•	26-60022
Colour: Dlook				



Length Height Part. No. mm mm 340 100 52-61035



Made of steel



Standard colours:





Size:	Part. No.
1420x450x1000 mm	26-61000-01
1420x450x1200 mm	26-61200-01
Fittings:	
1 Adjustable shelf	



Size:	Part. No.
1420x450x1000 mm	26-61000-02
1420x450x1200 mm	26-61200-02
Fittings:	
2 Adjustable shelves	



Size:	Part. No.
1420x450x1000 mm	26-61000-03
1420x450x1200 mm	26-61200-03
Fittings:	
3 Adjustable shelves	



Size:	Part. No.
1420x450x1000 mm	26-61010-01
1420x450x1200 mm	26-61210-01
Fittings:	
2 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x450x1000 mm	26-61010-02
1420x450x1200 mm	26-61210-02
Fittings:	
4 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x450x1000 mm	26-61010-03
1420x450x1200 mm	26-61210-03
Fittings:	
6 Adjustable shelves	
1 Central partition	
·	

# 1420x450 mm



Size:	Part. No.
1420x450x2000 mm	26-62000-01
Fittings:	
4 Adjustable shelves	



Size:	Part. No.
1420x450x2000 mm	26-62000-02
Fittings:	
5 Adjustable shelves	



Size:	Part. No.
1420x450x2000 mm	26-62000-03
Fittings:	
6 Adjustable shelves	



Size:	Part. No.
1420x450x2000 mm	
with Plexiglas® sliding doors	27-62000-01
Fittings:	
4 Adjustable shelves	



Size:	Part. No.
1420x450x2000 mm	
with Plexiglas® sliding doors	27-62000-02
Fittings:	
5 Adjustable shelves	



Size:	Part. No.
1420x450x2000 mm	
with Plexiglas® sliding doors	27-62000-03
Fittings:	
6 Adjustable shelves	

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010







Size:	Part. No.
1420x450x2000 mm	26-62010-01
Fittings:	
8 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x450x2000 mm	26-62010-02
Fittings:	
10 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x450x2000 mm	26-62010-03
Fittings:	
12 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x450x2000 mm	
with Plexiglas® sliding doors	27-62010-01
Fittings:	
8 Adjustable shelves	
1 Central partition	




Size:	Part. No.
1420x450x2000 mm	
with Plexiglas® sliding doors	27-62010-02
Fittings:	
10 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x450x2000 mm	
with Plexiglas® sliding doors	27-62010-03
Fittings:	
12 Adjustable shelves	
1 Central partition	

## 2052x450 mm






Width	Depth mm	Height mm	Load capacity kg	Plain Part. No.	Slotted Part. No.
1000 Hooks (spare	347	35	70	- ant. No.	22-30036 52-0006

Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in different heights with sides slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Doors fitted with safety cylinder lock and 2 keys.

Width mm	Depth mm	Height mm	Usable height mm	with Divider Part. No.
2052	450	1000	850	26-81000
2052	450	1200	1050	26-81200
2052	450	2000	1850	26-82000

Colours: see colour chart at the bottom of the page




## Compartment dividing walls


Made of galvanised steel

Height between	Usable height between	
shelves	shelves	
mm	mm	Part. No.
200	165	52-63520
300	265	52-63530





Width mm	Depth mm	Height mm	Upstand with mat Art. Nr	Smooth rubber mat Part. No.
2052	450	20	26-80025	•
2047	445	2	-	26-80022
Colour: Black				



Shelf divider Made of steel

Length mm	Height mm	Part. No.
340	100	52-61035













Part. No.
26-81000-01
26-81200-01



Size:	Part. No.
2052x450x1000 mm	26-81000-02
2052x450x1200 mm	26-81200-02
Fittings:	
4 Adjustable shelves	
1 Central partition	



Size:	Part. No.
2052x450x2000 mm	26-82000-01
Fittings:	
8 Adjustable shelves	
1 Central partition	



Size:	Part. No.
2052x450x2000 mm	26-82000-02
Fittings:	
10 Adjustable shelves	
1 Central partition	



Size:	Part. No.		
2052x450x2000 mm	26-82000-03		
Fittings:			
12 Adjustable shelves			
1 Central partition			
1 Central partition			



Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in different heights with sides slotted in increments of 25 mm to allow drawers and shelves to be adjusted accordingly. Doors fitted with safety cylinder lock and 2 keys.

#### With standard sliding doors

Width	Depth	Height	Usable height	without Divider	with Divider
mm	mm	mm	mm	Part. No.	Part. No.
1026	600	1000	850	28-31000	28-31010
1026	600	1200	1050	28-31200	28-31210
1026	600	2000	1850	28-32000	28-32010

Colours: see colour chart at the bottom of the page

#### With Plexiglas® sliding doors

Width	Depth	Height	Usable height	without Divider	with Divider
mm	mm	mm	mm	Part. No.	Part. No.
1026	600	1000	850	-	-
1026	600	1200	1050	•	-
1026	600	2000	1850	29-32000	29-32010

Colours: see colour chart at the bottom of the page



#### **Drawers**

Made of high-quality sheet steel

Available in two versions (simple or total extension) with steel roller bearings.

•						
Front	Usable	Usable	sable Load			
height	width	depth	Extension	capacity		
mm	mm	mm	%	kg *	Part. No.	
100 <b>S</b>	486	459	85	20	* 24-13100	
100 <b>T</b>	486	459	100	20	* 24-13101	

\* only for cabinets with central partition

\* with load evenly distributed

Colour: Light grey RAL 7035



#### **Upstand raised edges** on 3 sides

Made of high-quality sheet steel

Width mm 1026	Depth mm	Height mm	Upstand with mat Art. Nr 28-30025	Smooth rubber mat Part. No.
1026	600 595	20	28-30025	28-30022
Colour: Black	333		•	20-30022



#### Adjustable shelves

Made of high-quality sheet steel


			Load		
Width	Depth	Height	capacity	Plain	Slotted
mm	mm	mm	kg	Part. No.	Part. No.
486	500	35	70	* 24-10034	•
1000	500	35	70	-	24-30036
* only for cabinets with central partition					
Hooks (spare part)-Kit: 16 pieces 52-00006					52-00006




#### Compartment dividing walls

Made of galvanised steel

Height	Usable height	
between	between	
shelves	shelves	
mm	mm	Part. No.
200	165	52-65020
300	265	52-65030





Shelf divider Made of steel

Length	Height	
mm	mm	Part. No.
495	100	52-61050



Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010











Size:	Part. No.
1026x600x1000 mm	28-31000-01
1026x600x1200 mm	28-31200-01
Fittings:	
1 Adjustable shelf	



Part. No.
28-31000-02
28-31200-02



Size:	Part. No.
1026x600x1000 mm	28-31000-03
1026x600x1200 mm	28-31200-03
Fittings:	
3 Adjustable shelves	



03 13

100 T 100 S

Size:	Part. No.
1026x600x1000 mm	28-31010-03
	28-31010-13
1026x600x1200 mm	28-31210-03
	28-31210-13
F:00	

Fittings:
2 Adjustable shelves

2 Drawers

1 Central partition



04 14

100 T 100 S

Part. No.
28-31010-04
28-31010-14
28-31210-04
28-31210-14

Fittings:

4 Adjustable shelves

2 Drawers

1 Central partition



07	17
100 T	100 S
100 T	100 S

Size:	Part. No.
1026x600x1000 mm	28-31010-07
	28-31010-17
1026x600x1200 mm	28-31210-07
	28-31210-17

Fittings:

2 Adjustable shelves

4 Drawers

1 Central partition

# 1026x600 mm



Part. No.
28-32000-01



Part. No.
28-32000-02



Size:	Part. No.
1026x600x2000 mm	
	28-32000-03
Fittings:	
6 Adjustable shelves	



Part. No.
29-32000-01



Size:	Part. No.
1026x600x2000 mm	
with Plexiglas® sliding doors	29-32000-02
Fittings:	
5 Adjustable shelves	



Size:	Part. No.
1026x600x2000 mm	
with Plexiglas® sliding doors	29-32000-03
Fittings:	
6 Adjustable shelves	





Size:	Part. No.
1026x600x2000 mm	
	28-32010-01
Fittings:	
8 Adjustable shelves	
1 Central partition	



14

14

Size:	Part. No.
1026x600x2000 mm	
	28-32010-04
	28-32010-14
Fittings:	
8 Adjustable shelves	
4 Drawers	
1 Central partition	



Size:	Part. No.
1026x600x2000 mm	
	28-32010-05
	28-32010-15
Fittings:	
6 Adjustable shelves	
6 Drawers	
1 Central partition	



Size:	Part. No.
1026x600x2000 mm	
with Plexiglas® sliding doors	29-32010-01
Fittings:	
8 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1026x600x2000 mm	
with Plexiglas® sliding doors	29-32010-04
with Plexiglas® sliding doors	29-32010-14
Fittings:	
8 Adjustable shelves	
4 Drawers	
1 Central partition	



Size:	Part. No.
1026x600x2000 mm	
with Plexiglas® sliding doors	29-32010-05
with Plexiglas® sliding doors	29-32010-15
Fittings:	
6 Adjustable shelves	
6 Drawers	
1 Central partition	

## 1420x600 mm



Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in different heights with sides slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Doors fitted with safety cylinder lock and 2 keys.

#### With standard sliding doors


			Usable	without	with
Width	Depth	Height	height	Divider	Divider
mm	mm	mm	mm	Part. No.	Part. No.
1420	600	1000	850	28-61000	28-61010
1420	600	1200	1050	28-61200	28-61210
1420	600	2000	1850	28-62000	28-62010

#### With Plexiglas® sliding doors

			Usable	without	with
Width	Depth	Height	height	Divider	Divider
mm	mm	mm	mm	Part. No.	Part. No.
1420	600	1000	850	-	-
1420	600	1200	1050	-	-
1420	600	2000	1850	29-62000	29-62010
Colours: see colour chart at the bottom of the page					

Adjustable shelves Made of high-quality sheet steel

Width mm	Depth mm	Height mm	Load capacity kg	Plain Part. No.	Slotted Part. No.
684	500	35	70	-	* 28-60047
1394	500	35	70	-	28-60037
* only for cabinets with central partition					
Hooks (spare	part)-Kit: 16	pieces			52-00006




#### Compartment dividing walls


Made of galvanised steel

Height between shelves	Usable height between shelves	
mm	mm	Part. No.
200	165	52-65020
300	265	52-65030





Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
1420	600	20	28-60025	-
1415	595	2	-	28-60022
Colour: Black				







Size:	Part. No.
1420x600x1000 mm	28-61000-01
1420x600x1200 mm	28-61200-01
Fittings:	
1 Adjustable shelf	



Size:	Part. No.
1420x600x1000 mm	28-61000-02
1420x600x1200 mm	28-61200-02
Fittings:	
2 Adjustable shelves	



Size:	Part. No.
1420x600x1000 mm	28-61000-03
1420x600x1200 mm	28-61200-03
Fittings:	
3 Adjustable shelves	



Size:	Part. No.
1420x600x1000 mm	28-61010-01
1420x600x1200 mm	28-61210-01
Fittings:	
2 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x600x1000 mm	28-61010-02
1420x600x1200 mm	28-61210-02
Fittings:	
4 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x600x1000 mm	28-61010-03
1420x600x1200 mm	28-61210-03
Fittings:	
6 Adjustable shelves	
1 Central partition	

# 1420x600 mm



Size:	Part. No.
1420x600x2000 mm	28-62000-01
Fittings:	
4 Adjustable shelves	



Size:	Part. No.
1420x600x2000 mm	28-62000-02
Fittings:	
5 Adjustable shelves	



Size:	Part. No.
1420x600x2000 mm	28-62000-03
Fittings:	
6 Adjustable shelves	



Size:	Part. No.
1420x600x2000 mm	
with Plexiglas® sliding doors	29-62000-01
Fittings:	
4 Adjustable shelves	



Size:	Part. No.
1420x600x2000 mm	
with Plexiglas® sliding doors	29-62000-02
Fittings:	
5 Adjustable shelves	



Size:	Part. No.
1420x600x2000 mm	
with Plexiglas® sliding doors	29-62000-03
Fittings:	
6 Adjustable shelves	





Size:	Part. No.
1420x600x2000 mm	28-62010-01
Fittings:	
8 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x600x2000 mm	28-62010-02
Fittings:	
10 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x600x2000 mm	28-62010-03
Fittings:	
12 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x600x2000 mm	
with Plexiglas® sliding doors	29-62010-01
Fittings:	
8 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x600x2000 mm	
with Plexiglas® sliding doors	29-62010-02
Fittings:	
10 Adjustable shelves	
1 Central partition	



Size:	Part. No.
1420x600x2000 mm	
with Plexiglas® sliding doors	29-62010-03
Fittings:	
12 Adjustable shelves	
1 Central partition	

## 2052x600 mm





			Upstand	Smooth
Width	Depth	Height	with mat	rubber mat
mm	mm	mm	Part. No.	Part. No.
2052	600	20	28-80025	-
2047	595	2	-	28-80022
Colour: Black				

Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in different heights with sides slotted in increments of 25 mm to allow drawers and shelves to be adjusted accordingly. Doors fitted with safety cylinder lock and 2 keys.

			Usable	with	
Width	Depth	Height	height	Divider	
mm	mm	mm	mm	Part. No.	
2052	600	1000	850	28-81000	
2052	600	1200	1050	28-81200	
2052	600	2000	1850	28-82000	
Colours: see colour chart at the bottom of the page					

#### Adjustable shelf Made of high-quality sheet steel

mm         mm         mm         kg         Part. No.         Part. No.           1000         500         35         70         -         24-3003				Load		
1000 500 35 70 <b>- 24-3003</b>	Width	Depth	Height	capacity	Plain	Slotted
	mm	mm	mm	kg	Part. No.	Part. No.
Hooks (spare part)-Kit: 16 pieces 52-0000	1000	500	35	70		24-30036
1100K3 (3pare part) 11tt. 10 pieces 02-000	Hooks (spare	e part)-Kit: 16	pieces			52-00006




#### Compartment dividing walls

Made of galvanised steel


Height	Usable height	
between	between	
shelves	shelves	
mm	mm	Part. No.
200	165	52-65020
300	265	52-65030





Available in two versions (simple or total extension) with steel roller bearings.

•						
Front height	Usable width	Usable depth	Extension	Load capacity		
mm	mm	mm	%	kg *	Part. No.	
100 <b>S</b>	918	459	85	20	24-33100	
100 <b>T</b>	918	459	100	20	24-33101	
* with load evenly distributed						
Colour: Light grey RAL 7035						







Size:	Part. No.
2052x600x1000 mm	28-81000-03
	28-81000-13
2052x600x1200 mm	28-81200-03
	28-81200-13
T:44:	

Fittings:

2 Adjustable shelves

2 Drawers

1 Central partition



Size:	Part. No.
2052x600x1000 mm	28-81000-04
	28-81000-14
2052x600x1200 mm	28-81200-04
	28-81200-14

Fittings:

4 Adjustable shelves

2 Drawers

1 Central partition



Size:	Part. No.
2052x600x1000 mm	28-81000-06
	28-81000-16
2052x600x1200 mm	28-81200-06
	28-81200-16
Fittings:	
4 Drawers	
1 Central partition	



Size: 2052x600x2000 mm	Part. No. 28-82000-01
Fittings:	
8 Adjustable shelves	
1 Central partition	



Size:	Part. No.
2052x600x2000 mm	28-82000-05
	28-82000-15
Fittings:	
4 Adjustable shelves	
10 Drawers	
1 Central partition	



Part. No.
28-82000-06
28-82000-16

## **Group 10**

Lockers

**Compartment lockers** 



# FAMEPLA 🕌





## **Series 88-89**

Lockers see page 311



## **Lockers and compartment lockers**



Multi-purpose lockers for every-day use see page 313



Compartment lockers see page 314



Standard colour: RAL 7035







#### Compartment width: 300mm



Width mm	Depth mm	Height mm	No. of doors	Standard doors Part. No.	Perforated doors Part. No.
605	500	1750	2	88-23002	88-23102
900	500	1750	3	88-23003	88-23103
1195	500	1750	4	88-23004	88-23104

#### Lockers

without central partition

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in 3 different widths, with punched slots at the top and bottom to ensure good ventilation.

Doors, in two sizes, are fitted as standard with cylinder lock and 2 keys. Locking device is supplied on request.

Important notice: all surfaces and components are painted for longer lasting protection.

#### Compartment width: 400mm



Width mm	Depth mm	Height mm	No. of doors	Standard doors Part. No.	Perforated doors Part. No.	
805	500	1750	2	88-24002	88-24102	
1195	500	1750	3	88-24003	88-24103	
Doors supplied with Cylinder lock						



# and the

## **Series 88-89**

#### Compartment width: 400mm - with central partition



				Standard	Perforated
Width	Depth	Height	No. of	doors	doors
mm	mm	mm	doors	Part. No.	Part. No.
805	500	1750	2	88-34002	88-34102
1195	500	1750	3	88-34003	88-34103

Other combinations of colours can be supplied on request.



#### Compartment width: 500mm - with central partition



Width	Depth	Height	No. of	Standard doors	Perforated doors
mm	mm	mm	doors	Part. No.	Part. No.
585	500	1750	1	88-63001	88-63101
1145	500	1750	2	88-63002	88-63102

Other combinations of colours can be supplied on request.

#### Lockers

with central partition

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in 2 different widths, with punched slots at the top and bottom to ensure good ventilation.

Important notice: all surfaces and components are painted for longer lasting protection.



#### Multi-purpose lockers – for everyday use



Width	Depth	Height	
mm	mm	mm	Part. No.
1026	555	2000	24-32000-52

3 Adjustable shelves



Width	Depth	Height	
mm	mm	mm	Part. No.
585	500	1750	88-64001
Fixed shelves			



Width	Depth	Height	
mm	mm	mm	Part. No.
585	500	1750	88-65001
Fixed shelves			

## **Series 88-89**



#### Compartment width: 300mm

Width mm	Depth mm	Height mm	No. of doors in width	No. of doors in height	Art. Nr
605	500	1750	2	5	89-13025
900	500	1750	3	5	89-13035
1195	500	1750	4	5	89-13045

Usable compartment size: 230x300 mm h

#### Compartment width: 300mm

Width mm	Depth mm	Height mm	No. of doors in width	No. of doors in height	Art. Nr
605	500	1750	2	4	89-23024
900	500	1750	3	4	89-23034
1195	500	1750	4	4	89-23044

Other combinations of colours can be supplied on request.

Usable compartment size: 230x390 mm h

#### Compartment width: 400mm

Width	Depth	Height	No. of doors in width	No. of doors in height	Art. Nr
mm 805	mm 500	mm 1750	iii widiii	III Height	89-34024
1195	500	1750	3	<u>4</u> 4	89-34034
1190	500	1730	J	4	03-34034

Other combinations of colours can be supplied on request. Usable compartment size: 330x390 mm h

#### Compartment width: 300mm

Width mm	Depth mm	Height mm	No. of doors in width	No. of doors in height	Art. Nr
605	500	1750	2	2	88-83004
900	500	1750	3	2	88-83006
1195	500	1750	4	2	88-83008

Other combinations of colours can be supplied on request.

Usable compartment size: 230x820 mm h

#### **Compartment lockers**

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in 3 different widths, with punched slots at the top and bottom to ensure good ventilation.

Doors, in two sizes, are fitted as standard with cylinder lock and 2 keys. Locking device is supplied on request.

Important notice: all surfaces and components are painted for longer lasting protection.






#### Bench underframes

Made of high-quality sheet steel



To be fitted under the lockers. Fixings included.

For locker			
width	Depth	Height	
mm	mm	mm	Part. No.
585	500/300	350/385	88-10058
605	500/300	350/385	88-10061
805	500/300	350/385	88-10080
905	500/300	350/385	88-10090
1145	500/300	350/385	88-10114
1195	500/300	350/385	88-10119



		J	
For locker			
width	Depth	Height	
mm	mm	mm	Part. No.
585	200	15	88-12058
605	200	15	88-12061
805	200	15	88-12080
905	200	15	88-12090
1145	200	15	88-12114
1195	200	15	88-12119




## Sloping tops

Made of high-quality sheet steel

To be fitted on top of the lockers. Supplied in knock-down form. Fixings included.



For locker					
width	Depth	Height			
	•	· ·	B ( N		
mm	mm	mm	Part. No.		
585	500	250	88-00058		
605	500	250	88-00061		
805	500	250	88-00080		
905	500	250	88-00090		
1145	500	250	88-00114		
1195	500	250	88-00119		
Colour: Light grey RAL 7035					



#### Base, pair

Made of galvanised steel.



To be fitted under the lockers.

Width	Depth	Height	
mm	mm	mm	Part. No.
40	500	120	88-18512